

**Review Article**

Deficit Irrigation and Mulching Impacts on Major Crop Yield and Water Efficiency: A Review

Zalalem Tamiru Bekele^{*}, Addisu Asefa Mengasha^{*}

Jimma Agricultural Research Center, Jimma, Ethiopia

Email address:

zalalemt75@gmail.com (Zalalem Tamiru Bekele)

^{*}Corresponding author**To cite this article:**Zalalem Tamiru Bekele, Addisu Asefa Mengasha. Deficit Irrigation and Mulching Impacts on Major Crop Yield and Water Efficiency: A Review. *Hydrology*. Vol. 11, No. 4, 2023, pp. 62-66. doi: 10.11648/j.hyd.20231104.11**Received:** August 16, 2023; **Accepted:** September 7, 2023; **Published:** October 14, 2023

Abstract: The review examines the impact of deficit irrigation and mulching materials on crop yield and water use efficiency. The challenges posed by population growth and climate change necessitate new solutions to improve agriculture. The best irrigation strategies yield large yields for a given amount of water. Deficit irrigation and mulching significantly increase water use efficiency and crop yield for various crops. However, water supply constraints have led to the development of deficit irrigation; a strategy that maximizes water use efficiency without yield penalty. Mulch is a vital method for conserving soil moisture, preventing weed growth, reducing evaporation, and increasing infiltration of rainwater during the growing season. Different mulching methods and materials are used worldwide, with plastic and straw being the most popular and optimistic results. Straw mulch conserves higher soil moisture by 55% more compared to the control, and crops under straw mulch produce higher branches, fruit weight, and total yield. Polyethylene mulches have induced large increases in growth and yields for various vegetables, including tomato. However, the economic profitability of this mulch is low, so straw mulch is better for economic profitability. Plastic cover ridge furrow methods are better for increasing water use efficiency (WUE) and crop yield, reducing soil evaporation and erosion, increasing top soil temperature, creating a microenvironment for soil microbial activity, and increasing sustainability.

Keywords: Deficit Irrigation, Mulching, Water Use Efficiency

1. Introduction

Water shortages caused by population expansion and irregular precipitation increase agriculture's demand, necessitating new solutions for sustainable agriculture. Cooperative irrigation management aims to maximize water use efficiency and maintain soil moisture for plants [1]. Producers adopt time deficit irrigation to achieve high yields without reaching field capacity. Mulching and deficit irrigation are strategies to decrease water use in agriculture, benefiting crop production and yield, especially under low water availability. This reduces the frequency of phytosanitary measures and production costs [1, 2].

1.1. Irrigation Deficit

Conventional irrigation development focuses on avoiding water deficits to achieve maximum yields [3]. However, water

supply constraints have led to the development of DI, a strategy that maximizes water use efficiency without yield penalty [4, 5]. DI requires detailed irrigation management and identifies crop characteristics and stress-related yield come backs [6]. DI involves applying water below optimal evapotranspiration levels, reducing water use while minimizing adverse impacts on yield [7]. It aims to stabilize yields and achieve maximum crop water productivity, improving water productivity and reducing irrigation application [50].

1.2. Water Use Efficiency

Water use efficiency (WUE) is a concept that compares crop production to water usage. The best irrigation strategies produce a large yield for a given amount of irrigation [8]. Producers often aim to increase profits, but determining the

level of irrigation needed can be complex and depends on biophysical and economic factors [9]. WUE is the main criterion for evaluating production systems in areas with limited water resources, where water is the greatest limitation to production [10, 11].

1.3. Mulching

Mulching is an in-situ moisture preservation system that maintains soil moisture, reduces weed growth, and mitigates erosion. It improves crop yield and water use efficiency [12]. The degree of drop between mulch and soil affects soil warming [13].

1.4. Soil Moisture Management

Soil and water-management systems aim to encourage water infiltration, but often fail to optimize water flow along crop rooting zones, leading to poor yields due to soil moisture insufficiency rather than rainfall insufficiency [31]. Proper moisture conservation is crucial, as moisture deficits can severely depress crop yields, while adequate management can increase yields by a factor two or more [6].

1.5. Water Saved

Mulching is a water-saving technique in dryland areas that conserves soil moisture, regulates temperature, and reduces evaporation [14-16]. Its main strength is reducing surface evaporation and controlling soil erosion). Mulching decreases irrigation demand during crop cultivation periods by reducing soil evaporation and regulating temperature [16-18]. The amount of water saved by mulching is critical due to the interaction of microclimate, soil environment, and plant growths [19].

1.6. Retains Moisture

Organic and non-organic mulches cover soil, limit evaporation, absorb water, and retain moisture for plant growth. They help reduce water bills during hot and humid summers, providing water for plants and reducing physical water requirements for gardens.

2. Results and Discussion

Effect of Deficit Irrigation and Mulches on Water Use Efficiency and Crop Yield

Mulch is a crucial method for conserving soil moisture, as it helps prevent weed growth, reduce evaporation, and increase infiltration of rainwater during the growing season. Plastic mulch helps prevent soil water loss during dry years and sheds excessive water away from the crop root zone during periods of excessive rain fall. This can reduce irrigation frequency and amount of water, and may help reduce the incidence of moisture-related physiological disorders such as blossom end rot on vegetables and fruit cracking in lime and pomegranate [20]. Mulch provides numerous benefits to crop production through soil and water conservation, enhanced soil biological activity, and improved chemical and physical properties of the

soil. Studies have shown that mulches conserve more soil moisture, enhance vegetative growth and yield-committing characteristics of garlic [21-23]. Crop residues or mulch at the soil surface act as shade and serve as a vapour barrier against moisture losses from the soil, causing slow surface runoff. Straw mulch conserves higher soil moisture to an extent of 55% more compared to the control. Crop under straw mulch produced higher number of branches, fruit weight, and total yield compared to no mulch [24]. Polyethylene mulches have induced large increases in growth and yields for various vegetables, including tomato [26-29]. These increases have been attributed to changes in soil and air temperature near the cover, soil water balance, and nutrient availability compared to un mulched soil [30-33]. Less soil compaction and improved aeration under mulched soil have also contributed to increased plant growth [34]. In situations where water productivity is increased, priority for polyethylene mulch may be the option. However, the economic profitability of this mulch is low, so it is better to use straw mulch for economic profitability [35].

Table 1. Influence of water regimes on tuber yield of potato for mulched (M) and non-mulched (NM) plots.

Water level	Tuber yield t/ha				
	100%	90%	80%	60%	50%
Mulch	31.5	29.6	28.9	26.9	23.2
Non Mulch	28.3	25.8	24.9	21.9	20.3

Source [36].

The study found that half mulched maize straw yielded the highest grain yield and water use efficiency. However, this pattern was more favorable for wheat growth, soil temperature, and water efficiency. Plastic cover ridge furrow methods are better for increasing water use efficiency (WUE) and crop yield. They also reduce soil evaporation and erosion in arid and semiarid conditions, increase top soil temperature, create a microenvironment for soil microbial activity, and increase sustainability [37].

Mulch enhances soil physical properties through aggregation, increased water content, and reduced runoff, leading to better germination and higher yield. It also increases nutrient availability to plant roots, leading to higher grain yield. Plastic mulch increases grain yield by 17% and above ground biomass by 19% [38]. The bed planting method of full irrigation with plastic mulching soil condition yields higher baby corn yield. The system also increases soil temperature, accelerates early growth, plant height, fruiting, and provides satisfactory weed control without herbicide application. In the top soil layer, mulching treatment significantly increases soil water content, with high nitrate-N content distributed. The yield increased with increased basal fertilizer, top dressing, and plastic film mulching, improving fertilizer use efficiency [39]. Plastic film mulching can be effectively utilized for improving productivity and water use efficiency in rice production [40]. Straw mulching reduces soil evaporation by 43mm for maize and WUE by over 10%, indicating that water use efficiency increases with the decrease in irrigation depth applied.

Plastic mulch has been shown to increase crop yield by improving solar energy, water, and fertility status, reducing soil water loss, and removing weeds [41-43]. This can lead to increased grain yield and water use efficiency (WUE). Mulching with plastic film has been shown to enhance water use efficiency by 14%, grain yield by 17%, and biological yield by 19%. The soil on top of mulch retains structural stability and lower bulk density compared to un-mulched soil, likely due to less structural disruption of aggregates and settlement in unsaturated conditions [49]. Plastic sheet mulch is more effective for conservation of soil water than that of wheat straw mulch [44]. Experiment conducted in Nigeria to study the effects of deficit irrigation and mulch on onion yield, water use, and crop water productivity [45]. Results showed that irrigating onion at 25% of weekly reference evapotranspiration reduced bulb yield by 50%. Applying water at 50% and 75% water requirements led to a 15.5-23% reduction in yield and higher water use efficiency. Yield reductions reported in 78%, 45%, and 15% when onion crop was irrigated at 25%, 50%, and 75% of ET_c [46]. Study found that onion bulb yield decreased with increasing water deficit levels, while both water use and irrigation water use efficiencies increased with water deficit levels [47, 48]. Deficit irrigation and mulch had significant positive impacts on growth parameters like plant height, scape length and diameter, and umbel diameter.

3. Conclusion

Mulch is a vital method for conserving soil moisture, preventing weed growth, reducing evaporation, and increasing infiltration of rainwater during the growing season. It also helps prevent soil water loss during dry years and sheds excessive water away from the crop root zone during periods of excessive rain fall. Mulch provides numerous benefits to crop production through soil and water conservation, enhanced soil biological activity, and improved chemical and physical properties of the soil. Studies have shown that mulches conserve more soil moisture, enhance vegetative growth, and yield-committing characteristics. Straw mulch conserves higher soil moisture by 55% more compared to the control, and crops under straw mulch produce higher branches, fruit weight, and total yield. Polyethylene mulches have induced large increases in growth and yields for various vegetables, including tomato. However, the economic profitability of this mulch is low, so straw mulch is better for economic profitability. Plastic cover ridge furrow methods are better for increasing water use efficiency (WUE) and crop yield, reducing soil evaporation and erosion, increasing top soil temperature, creating a microenvironment for soil microbial activity, and increasing sustainability.

References

- [1] Saraiva, K. R., VIANA, T. V. D. A., BEZERRA, F., LIMA, M., COSTA, S. C. and GONDIM, R. S., 2017. REGULATED DEFICIT IRRIGATION AND DIFFERENT MULCH TYPES ON FRUIT QUALITY AND YIELD OF WATERMELON. *Revista Caatinga*, 30, pp. 437-446.
- [2] Lin, Z., LIU, J. L., LUO, S. S., BU, L. D., CHEN, X. P. and LI, S. Q., 2015. Soil mulching can mitigate soil water deficiency impacts on rainfed maize production in semiarid environments. *Journal of Integrative Agriculture*, 14 (1), pp. 58-66.
- [3] Doorenbos, J. and W. H. Pruitt. 1992. Crop water requirements. *FAO Irrigation and Drainage Paper Number 24*, FAO, Rome, Italy.
- [4] English, M. J., Solomon, K. H. and Hoffman, G. J., 2002. A paradigm shift in irrigation management. *Journal of irrigation and drainage engineering*, 128 (5), pp. 267-277.
- [5] Bouman, B. A. M., 2007. A conceptual framework for the improvement of crop water productivity at different spatial scales. *Agricultural systems*, 93 (1-3), pp. 43-60.
- [6] English, M. and Raja, S. N. 1996. Perspectives on deficit irrigation. *Agricultural Water Management*, 32 (1): 1-14.
- [7] Kirda, C., 2002. Deficit irrigation scheduling based on plant growth stages showing water stress tolerance. *Food and Agricultural Organization of the United Nations, Deficit Irrigation Practices, Water Reports*, 22 (102).
- [8] Mansouri-Far, C., Sanavy, S. A. M. M. and Saberali, S. F., 2010. Maize yield response to deficit irrigation during low-sensitive growth stages and nitrogen rate under semi-arid climatic conditions. *Agricultural Water Management*, 97 (1), pp. 12-22.
- [9] Payero, J. O., Tarkalson, D. D., Irmak, S., Davison, D. and Petersen, J. L., 2008. Effect of irrigation amounts applied with subsurface drip irrigation on corn evapotranspiration, yield, water use efficiency, and dry matter production in a semiarid climate. *Agricultural water management*, 95 (8), pp. 895-908.
- [10] Norton, N. A., Clark, R. T. and Schneekloth, J. P., 2000. Effects of alternative irrigation allocations on water use, net returns, and marginal user costs.
- [11] FAO (Food and Agriculture Organization). 2002. Deficit irrigation practice. *Water Reports Paper 22*. FAO, Rome, Italy.
- [12] Lamont, W. J., 1999. The use of different colored mulches for yield and earliness. In *Proceedings of the New England vegetable and berry growers conference and trade show*, Sturbridge, Mass (pp. 299-302).
- [13] Sweat, M., 2007. Plasticulture technology for vegetable production. *Institute of Food and Agricultural Sciences, North Florida Research and Education Center, Suwanee Valley (FL): University of Florida Cooperative Extension Service*. URL: <http://nfrec-sv.ifas.ufl.edu/mulch.htm> (accessed 10 Sep 2009).
- [14] Yang, N., Sun, Z. X., Feng, L. S., Zheng, M. Z., Chi, D. C., Meng, W. Z., Hou, Z. Y., Bai, W. and Li, K. Y., 2015. Plastic film mulching for water-efficient agricultural applications and degradable films materials development research. *Materials and Manufacturing Processes*, 30 (2), pp. 143-154.
- [15] Kader, M. A., Senge, M., Mojid, M. A. and Nakamura, K., 2017. Mulching type-induced soil moisture and temperature regimes and water use efficiency of soybean under rain-fed condition in central Japan. *International Soil and Water Conservation Research*, 5 (4), pp. 302-308.
- [16] Zribi, W., Aragüés, R., Medina, E. and Faci, J. M., 2015. Efficiency of inorganic and organic mulching materials for soil evaporation control. *Soil and Tillage Research*, 148, pp. 40-45.

- [17] Qin, S., Li, S., Kang, S., Du, T., Tong, L. and Ding, R., 2016. Can the drip irrigation under film mulch reduce crop evapotranspiration and save water under the sufficient irrigation condition?. *Agricultural Water Management*, 177, pp. 128-137.
- [18] Kader, M. A., Nakamura, K., Senge, M., Mojid, M. A. and Kawashima, S., 2019. Numerical simulation of water-and heat-flow regimes of mulched soil in rain-fed soybean field in central Japan. *Soil and Tillage Research*, 191, pp. 142-155.
- [19] Steinmetz, Z., Wollmann, C., Schaefer, M., Buchmann, C., David, J., Tröger, J., Muñoz, K., Frör, O. and Schaumann, G. E., 2016. Plastic mulching in agriculture. Trading short-term agronomic benefits for long-term soil degradation? *Science of the total environment*, 550, pp. 690-705.
- [20] Sangakkara, U. R., Attanayake, K. B., Gajanayake, J. N. and Bandaranayake, P. S. D. R., 2004, September. Impact of mulches on growth and yields of cassava and sweet potato in tropical Asia. In *New directions for a diverse planet: Proceedings of the 4th International Crop Science Congress Brisbane, Australia, Brisbane*.
- [21] Cooper, A. J., 1973. Root temperatures and plant growth. *Res. Rev. 4, Commonwealth Bureau of Horticulture and Plantation Crops*.
- [22] Menezes, S. M., Navais, D. E., Sontos, H. L. and Dos, M. A., 1974. The effect of nitrogen fertilization, plant spacing and mulching on the yield of garlic cultivar Amarante. *Revista Ceres*, 21, pp. 203-211.
- [23] Chung, H. D., 1987. Effects of PE film mulching, sulphur application and different levels of nitrogen and potassium on growth, flower-stalk elongation, bulbing, and leaf tip yellowing of garlic, *allium sativum* L. cv. Euisung. *Han'guk Wonye Hakhoe chi= Journal of the Korean Society for Horticultural Science*.
- [24] Rathore, A. L., Pal, A. R. and Sahu, K. K., 1998. Tillage and mulching effects on water use, root growth and yield of rainfed mustard and chickpea grown after lowland rice. *Journal of the Science of Food and Agriculture*, 78 (2), pp. 149-161.
- [25] Chattha, T. H. and Hayat, R., 2005. Growth and Yield response of tomato (*Lycopersicon esculentum* L.) to organic and inorganic mulches. *Asian Journal of Plant Sciences*.
- [26] Takatori, F. H., Lippert, L. F. and Whiting, F. L., 1964. The effect of petroleum mulch and polyethylene films on soil temperature and plant growth. In *Proc. Am. Soc. Hort. Sci* (Vol. 85, pp. 532-540).
- [27] Vandenberg, J. and Tiessen, H., 1972. Influence of Wax-coated and Polyethylene-coated Paper Mulch on Growth and Flowering of Tomato1. *HortScience*, 7 (5), pp. 464-465.
- [28] Mullins, C. A., Straw, R. A. and Rutledge, A. D., 1992. Tomato production with fertigation and black plastic mulch. *Tennessee farm and home science: progress report-Tennessee Agricultural Experiment Station (USA)*.
- [29] Lamont Jr, W. J., 2017. Plastic mulches for the production of vegetable crops. In *A guide to the manufacture, performance, and potential of plastics in agriculture* (pp. 45-60). Elsevier.
- [30] Clarkson, V. A., 1956. Effect of paper and polyethylene mulches and plastic caps on cantaloupe yields and earliness. In *American society for horticultural science* (Vol. 69, pp. 400-404).
- [31] Clarkson, V. A., 1960. Effect of black polyethylene mulch on soil and microclimate temperature and nitrate level. *Agronomy Journal*, 52 (6), pp. 307-309.
- [32] Brunini, O. and Santos, J. M. D., 1976. Estudo micrometeorológico com cenouras (var. nantes) I-Influência da temperatura do ar. *Bragantia*, 35, pp. 41-47.
- [33] Haynes, R. J., 1987. The use of polyethylene mulches to change soil microclimate as revealed by enzyme activity and biomass nitrogen, sulphur and phosphorus. *Biology and Fertility of soils*, 5, pp. 235-240.
- [34] Ekern, P. C., 1967. Soil Moisture and Soil Temperature Changes with the Use of Black Vapor-Barrier Mulch and Their Influence on Pineapple (*Ananas comosus* (L.) Merr.) Growth in Hawaii. *Soil Science Society of America Journal*, 31 (2), pp. 270-275.
- [35] Biswas, S. K., Sarker, P. K., Islam, A. M., Bhuiyan, M. A. and Kundu, B. C., 2003. Effect of irrigation on onion production. *Pakistan Journal of Biological Sciences (Pakistan)*.
- [36] Kiptoo, S., Kipkorir, E. C. and Kiptum, C. K., 2018. Effects of deficit irrigation and mulch on yield and quality of potato crop.
- [37] Memon, M. S., Zhou, J., Guo, J., Ullah, F., Hassan, M., Ara, S. and Ji, C., 2017. Comprehensive review for the effects of ridge furrow plastic mulching on crop yield and water use efficiency under different crops. *Int Agri Eng J*, 26 (2), pp. 58-67.
- [38] Gulshan Mahajan, Rakesh Sharda, Ashwani Kumar and K. G. Singh Effect of plastic mulch on economizing irrigation water and weed control in baby corn sown by different methods *African Journal of Agricultural Research* Vol. 2 (1), pp. 019-026, (2007).
- [39] Wang X, Xing Y. 2016 Effects of mulching and nitrogen on soil nitrate -N distribution, Leaching and Nitrogen Use efficiency of maize (zeamays L.). *PLoS ONE* 11 (8).
- [40] T. Oweis, M. Pala, J. Ryan. Stabilizing rainfed wheat yields with supplemental irrigation and nitrogen in a Mediterranean climate, *Agronomy Journal*, Vol. 20, 672-681, 1998.
- [41] Shahid, M. S. I. Zamir, T. Rasool and W. Akbar. 2014. Effect of tillage and mulching on soil fertility and grain yield of sorghum. *Sci. Agri.* 4: 31-36.
- [42] Zohaib, A., Ehsanullah, T. Tabassum, T. Abbas and T. Rasool. 2014. Influence of water soluble phenolics of *Vicia sativa* L. on germination and seedling growth of pulse crops. *Sci. Agri.* 8: 148-151.
- [43] Bu, Y. S., H. L. Shao and J. C. Wang. 2002. Effects of different mulch materials on corn seeding growth and soil nutrients contents and distributions. *J. Soil Water Conserv.* 16: 40-42.
- [44] Li R, Hou X, Jia Z, Han Q, Ren X, Yang B (2013) Effects on soil temperature, moisture, and maize yield of cultivation with ridge and furrow mulching in the rainfed area of the Loess Plateau, China. *Agric Water Manag* [Internet]. 116: 101-109.
- [45] Igbadun, H. E., A. A. Ramalan and E. Oiganji. 2012. Effects of regulated deficit irrigation and mulch on yield, water use and crop water productivity of onion in Samaru, Nigeria. *Journal of Agricultural Water Management*, 109: 162-169.
- [46] Bekele Samson and Tilahun Ketema. 2007. Regulated deficit irrigation scheduling of onion in a semi-arid region of Ethiopia. *Journal of Agricultural Water Management*, 89: 148-152.

- [47] Ramalan, A. A., Nega, H. and Oyeboode, M. 2010. Effect of deficit irrigation and mulch on water use and yield of drip irrigated onions. *WIT Trans Ecological Environ*, 134: 3950.
- [48] Bhagyawant, R. G., S. D. Gorantiwar, S. D. Dahiwalkar, M. N. Bhalekar, and D. D. Khedkar. 2014. Effect of deficit irrigation on growth, yield and quality of onion. *Bionfolet*, 11: 341-43.
- [49] Mehmood, S., T. Rasool, M. Iqbal, M. Iqbal, I. Haq and M. Sohail. 2015. Effect of plastic mulch and different irrigation practices on soil properties, nutrient contents and their availability in Maize. *Journal of Environmental & Agricultural Sciences*. 3: 35-41.
- [50] Zhang, H., Pala, M., Oweis, T., Harris, H. 2000. Water use and water use efficiency of chickpea and lentil in a Mediterranean environment. *Australian Journal of Agricultural Research*. 51, 295–305.