

Phytochemical and Pharmacological Uses of *Acacia Nilotica* - A Review

Rasha Jame^{1, 2}

¹Department of Chemistry, Faculty of Science, Tabuk University, Tabuk, Saudi Arabia

²Department of Chemistry, Faculty of Education, Dalanj University, Dalanj, Sudan

Email address:

rjame@ut.edu.sa, rashajame@gmail.com

To cite this article:

Rasha Jame. Phytochemical and Pharmacological Uses of *Acacia Nilotica* - A Review. *International Journal of Bioorganic Chemistry*. Vol. 3, No. 2, 2018, pp. 6-10. doi: 10.11648/j.ijbc.20180302.11

Received: December 26, 2018; **Accepted:** January 20, 2019; **Published:** February 18, 2019

Abstract: The present review aims to provide up-to-date a summary of the phytochemical and pharmacological usage of *Acacia nilotica* tree. *Acacia nilotica* is an important multipurpose medicinal plant; it was used for the treatment of various diseases and is widely distributed throughout the tropical and sub-tropical regions. It belongs to a family: Fabaceae; genus: *Acacia* and species: *nilotica*. The different parts of *Acacia nilotica* like roots, leaves, bark, gum, flowers and pods were recognized as a component of traditional medicine in different countries. *Acacia nilotica* is commonly known as 'Algarad' in Sudan and have long been used for the treatment of some diseases from the time immemorial. An exhaustive survey of literature has revealed that the phytochemical of different extracts of acacia were evaluated for phenolic, flavonoids, tannins, alkaloids, fatty acids, anthraquinones, saponins, steroids, triterpenoids protein and polysaccharides. The qualitative phytochemical studies of different part of plant extract showed that, the bark contains terpenoids, tannins, alkaloids, saponins, sterols and glycosides; leaves contain tannins, alkaloids, sterols, saponins, cardiac glycosides and flavonoids; roots contain saponins, flavonoids, terpenes, tannins, sterols, phenols, alkaloids, and anthraquinones; pods contain alkaloids, flavonoids, tannins, saponins, carbohydrate, and sterol; Flowers showed presence of phenolic compound. The pharmacological studies reviewed many significant medicinal usages of the different parts extract of the *Acacia Nilotica* tree as an anti-inflammatory, antioxidant, antidiarrhoeal, antihypertensive and antispasmodic, antibacterial, antifungal, antiplasmodial, analgesic, antipyretic, antiviral, antiplatelet aggregatory and anticancer activities. Through this review I am tried to explore the therapeutic potential of *A. nilotica* and thus may be a promising route for a new, safe, inexpensive, biodegradable and renewable source of natural drugs with high therapeutic index.

Keywords: *Acacia Nilotica*, Phytochemical, Pharmacological Uses

1. Introduction

Plants and plants extract used for medicinal purposes and play an important role in developing countries since; they are inexpensive, effective and have a natural origin. In traditional medicine, *Acacia Nilotica* is widely used. Almost all their parts used in medication including root, bark, leaves, flower, gum, and pods [1]. This plant has anti-microbial, antiplasmodial, anticancer, antimutagenic and antioxidant activity and used for the treatment of against cold, cough, sore throat diarrhea, dysentery, tuberculosis, piles, hepatitis C virus, burns, and scalds. Some common pharmacological uses of different parts of *A. nilotica* listed in table 1.

Acacia first described in 1773 by the Swedish botanist

Carl Linnaeus. *Acacia* is a genus of shrubs and trees belonging to the subfamily Mimosoideae of the family Fabaceae or Leguminosae, see review in [2]. It is a complex species with nine subspecies, six are native to the African tropics and the others are native to the Indian subcontinent [3]. *Acacia nilotica* is a tree widely distributed all over India, Sri Lanka, Sudan, Saudi Arabia and Egypt [2, 4-6]. Arabia. *Acacia nilotica* has different English names: like Indian gum arabic, Tomentose Babool, Black piquant, Black babul, Gum arabic, Egyptian mimosa, Egyptian thorn, Prickly Acacia, Nile acacia, Scented thorn and Scented-pod acacia; and different Arabic names: as Ummughilan, Usarequrz (see [6] and references therein) and kaarad [4].

Table 1. Some common pharmacological uses of different parts of *Acacia nilotica*.

Part used	pharmacological uses	References
Roots	Leucorrhoea wound healing, burning sensation; anti-malaria; analgesic and antipyretic	[7-9]
Leaves	Antioxidant; antiviral; for general body vigour; applied to sore eyes in children, Paste of burnt leaves effective ointment for the itch, used as a gargle in spongy gums, sore throat and as a wash in haemorrhagic ulcers and wound; anticancer and antimutagenic; diarrhea; antibacterial	[1, 2, 10-15]
Gum	Gum mixed with quinine is useful in fever cases complicated with diarrhoea and dysentery; gum with white of egg it is applied to burns and scalds; anticancer and anti-mutagenic	[1, 12]
Bark	Inhibitory effects against hepatitis C virus (HCV) protease; HIV-1 replication and HIV-1 protease; used as an astringent douch in gonorrhoea, cystitis, vaginitis, leucorrhoea, and prolapse of uterus and piles; antibacterial	[1, 15-21]
Seeds	Antiplasmodial, anti-bacterial and diarrhoea	[22, 23]
Pods (Fruit)	Inhibitory effects against HIV-1 PR (protease), anti-hypertensive, anti-spasmodic, anti-diarrheal, astringent, HIV-1 induced cytopathogenicity, antiplatelet aggregatory activity; antioxidant, decreases the arterial blood pressure; antituberculosis; antibacterial	[7, 15-17, 24, 25]
Flowers	Diarrhoea and dysentery, premature ejaculation; anticancer, anti-mutagenic	[12, 26]

2. Pharmacological Uses

By using of different chemical solvent for extracting, the different parts of *Acacia nilotica* investigated for their pharmacological profile.

2.1. Antiplasmodial, Antibacterial, Antifungal and Antiviral Activity

Alli L. et al. [8] identified the safer and antiplasmodial activity of the aqueous root extract of *Acacia nilotica* against *Plasmodium berghei berghei* in mice in 2011. Using of methanol and aqueous extract of *Acacia nilotica* pods exposed antibacterial activity against *Escherichia coli*, *Staphylococcus aureus* and *Salmonella typhi*, see review in [2]. Moreover, high antibacterial activity against *Staphylococcus aureus*, *Escherichia coli*, *Proteus vulgaris*, *Proteus mirabilis*, *Salmonella paratyphi B*, *Klebsiella pneumonia* detected by Deshpande SN [19] by using of the petroleum ether and ethanol extract of stem bark. Likewise, the crude ethanolic extracts showed antimicrobial activities against multidrug-resistant (MDR) strains of *Escherichia coli* and *Klebsiella pneumoniae* [27]. An acetyl acetate bark extract showed antibacterial activity against gram-positive bacteria *Bacillus subtilis* and *Staphylococcus aureus* with minimum inhibitory concentration values of 4 and 8 µg/mL, respectively; and showed weak activity with minimum inhibitory concentration values (16 and 33 µg/mL) against *Klebsiella pneumonia* and *Escherichia coli* respectively [21]. Antifungal activity was confirmed by using of an aqueous and methanol extract of *Acacia nilotica* pods, which exposed antifungal activity against *Candida albicans*, and *Aspergillus niger*, see review in [2]. In the same way, Khan R. [27] exposed antifungal activity of ethanolic extracts against multidrug-resistant (MDR) strains of *Candida*. The extract of the leaves of the *Acacia* plant showed in vitro antiviral activity against the Turnip mosaic virus [11].

2.2. Antioxidant Activity

Kalaivani T. et al. [28] detected an active antioxidant compound (ethyl gallate) from the leaves ethanol extract of *Acacia nilotica* Willd. Ex. Del. Other antioxidant activities of *Acacia nilotica* detected from leaves ethanol extract [10] and from 80% EtOH pods extract [29]. The antioxidants kaempferol was isolated from the methanol extract of *Acacia*

nilotica Willd. Ex. Del by Rajbir S. et al. [30]; moreover, the antioxidant Umbelliferone was isolated from the methanol extract of the bark and leaves of *Acacia nilotica* (L.) Willd. Ex. Del [31]. And Z. Osman et al. [32] described antioxidant activity of the water extract of the bark.

2.3. Cytotoxic and Hemolytic Activity

Kalaivani T. et al. [28] determined that the ethanol leaves extract of *Acacia nilotica* do not exert any hemolytic activity against rat and human, and non-toxic.

2.4. Hyperglycaemic, Lipid Profile, and Platelet Aggregation Activity

The methanol extract of the leaves exhibited hypoglycaemic and anti-platelet aggregation activity in diabetic rats as that of glyburide [33].

2.5. Antidiarrhoeal

An aqueous extract of *Acacia nilotica* seeds shown activity against castor oil induced diarrhoeal [23].

2.6. Galactagogue Activity

Galactagogue activity of *Acacia nilotica* recognized in the leaves aqueous extract of *Acacia nilotica* ssp *adansonii* when tested in the rat; the extract found to stimulate the synthesis and release of prolactin [34].

2.7. Antimutagenic Activity

Arora S. et al. [35] concluded that acetone extract of the bark powder of *Acacia nilotica* exhibited antimutagenic activity against direct-acting mutagens (4-nitro-o-phenylenediamine (NPD) and sodium azide (NaN₃)) and indirect-acting mutagens (2-aminofluorene (2-AF)) in tester strains of *Salmonella typhimurium*.

2.8. Abortifacient and Anti-Infertility Activity

Nath et al. [36] studied the abortifacient activity of an aqueous or 90 % ethanol extracts of the flowers of *Acacia Arabica*, and they concluded that the flowers appeared to lack teratologic potential at the tested doses (175 mg/kg). For anti-infertility, extract of the stem bark at 2% concentration revealed semen coagulant activity in a preliminary screening, see review in [2].

2.9. Antidiabetic (Hypoglycemic Effect) and Antihypertensive Activity

The powdered seeds of *Acacia arabica* used to test antidiabetic activity (hypoglycemic effect). The seeds exhibit a significant hypoglycemic effect in normal rabbits, while the effect in alloxanised diabetic rabbits was not significant [37]. The antihypertensive activity (decreases the blood pressure at dose 3-30 mg/kg) detected by using of methanol extract of *Acacia nilotica* pods [7].

2.10. Analgesic and Antipyretic Activity

Lukman A. et al. [9] exposed the antipyretic and analgesic activity of an aqueous extract of *Acacia nilotica* root at 200 and 400 mg/Kg body weight of the tested rats.

Another very useful usage of *Acacia nilotica* investigated by Majumdar et al. [38], they described that the ethanol leaf extract of *Acacia nilotica* has catalytic activity, which used in the synthesis of gold nanoparticles.

3. General Techniques Involved in Phytochemical Analysis

Commonly the different preliminary qualitative methods are used to identify the chemical constituents of the plant. To identify the presence of alkaloids: we can use Mayer's test, Hager's test and Wagner's test. Phenolic compounds and tannins: Ferric chloride, Gelatin test, alkaline reagent test, Magnesium and Hydrochloric acid reduction, and lead acetate tests. Amino acids: Ninhydrin test. Carbohydrates: Molish's test and Benedict's test. Fixed oils and fats: spot test and saponification test. Glycosides: Legal test and Borntrager's test. Phytosterols: Libermann-Burchard's test. Proteins: Millon's test and Biuret test. Saponins: Foam test. Test for gum and Mucilages, Test for volatile oil. Terpenoids: Salkowski's test. Flavonoids: Shinoda and alkaline reagent tests. Cardiac glycosides: Keller kiliani test. Anthraquinones: Borntrager's test [19, 39]

Likewise qualitative and quantitative analysis of phytochemicals can be applied using of Gas Chromatography Mass Spectroscopy (GCMS), Gas Chromatography (GC), High Performance Liquid Chromatography (HPLC), High Performance Thin Layer Chromatography (HPTLC), and Optimum Performance Laminar Chromatography (OPLC) [39].

Moreover, the spectroscopy detecting methods like UV, IR, MS, ¹³C- NMR and ¹H- NMR frequently used in the study of phytochemicals [39].

4. Phytochemical (Chemical Constituents)

4.1. Bark

Phytochemical analysis of ethanol and petroleum ether extract of the stem bark of *Acacia nilotica* exposed that the plant contains terpenoids, tannins, alkaloids, saponins, and glycosides. [19, 20]; and the carbohydrates and anthraquinone were detected in ethanol extract by Deshpande S. N. [19]; while the results described by Okoro S. O. et al. [40] revealed

that, the ethanolic extracts of *Acacia nilotica* possess sterols and tannins; no alkaloids, saponins or glycosides.

4.2. Leaves

Phytochemical screening of ethanolic extracts discovered that the leaves of *Acacia nilotica* contain tannins, alkaloids, sterols; and no glycosides, saponins, resins or flavonoids were detected [40]. And Mrityunjoy Das et al. [13] exposed the presence of alkaloids, saponins, cardiac glycosides, tannins, and flavonoids.

4.3. Roots

A screening study of the ethanolic extracts of the roots of *Acacia nilotica* by Okoro S. O. et al. [40] showed the presence of sterols and tannins; and the aqueous extract contains tannins, saponins, flavonoids, terpenes, sterols, phenols, alkaloids and anthraquinones [8]; and Lukman A. et al. [9] determine the presence of saponins, flavonoids, terpenes, tannins, phenols, alkaloids, and anthraquinones.

4.4. Pods

Sabah E. et al. [41] they used a different solvent to test the presence of alkaloids, flavonoid, saponins, tannin, cardiac glycoside, sterol and carbohydrate. They used ethanol, water; and petroleum ether extracts. water and ethanol showed positive results of alkaloids, flavonoids, tannins, saponins and carbohydrate; and sterol was detected by ethanol and petroleum ether extracts; and no saponins or carbohydrate were detected by using of petroleum ether. In addition, Oladosu P. et al. [25] detected alkaloids, saponins, tannins, and carbohydrate by using an aqueous methanol extract.

4.5. Flowers

Flowers showed the presence of catechin (phenolic compound) [42].

5. The Relationship Between the Chemical Constituents and the Biological Activity

Numerous plants, which are rich in alkaloids, tannins and glycosides, shown antimicrobial activity against a number of microorganisms [19, 20]. Otherwise Chandra Shekar et al. [14] concluded that the antimicrobial activity due to the presence of alkaloids, cardiac glycosides, tannins besides saponins, flavonoids and anthraquinones. Z. Osman et al., [32] noticed that the plant contains tannins could be an excellent source of the natural antioxidant. Muhammad Bilal Sadiq et al. [15] concluded that the antibacterial and antioxidant activities might be due to the presence of high total phenolic content, proteins and/or flavonoids. The antioxidant and anticancer potential could be due to the presence of phenolic compounds [10]. Moreover, to antioxidant activity, the plant extract containing phenolic compounds possess anticarcinogenic, or antimutagenic and anti-inflammatory effects [43]. Alli L. et al., [8] proposed that the antiplasmodial effect might therefore be due to the

phytochemical components (alkaloids, flavonoids and terpenes), the oxidant generation potential, or a combination of these mechanisms. Extracts containing tannins (polyphenolic compounds) showed antiviral activity against HIV-1 replication and HIV-1 Protease [16].

6. Conclusion

Acacia nilotica has been in use since ancient times to treat a wide range of diseases in traditional treatment. Experimental studies confirmed its antibacterial, antifungal, antioxidant, antidiabetic, antihypertensive, antispasmodic, antiviral, antiplasmodial analgesic, antipyretic and galactagogue activities. Different scientific studies established the claims of the traditional system of medicine. Extra details and clinical researches is need to explore its medicinal value in order to establish it as a standard drug.

References

- [1] Said HM. Hamdard Pharmacopeia of Eastern Medicine. Ed 2, New Delhi Sri Satguru publications, 1997, 353.
- [2] M. U. Z. N. Farzana, I. Al Tharique, Arshiya sultana, A review of ethnomedicine, phytochemical and pharmacological activities of *Acacia nilotica* (Linn) willd, Journal of Pharmacognosy and Phytochemistry 2014, 3 (1), 84-90.
- [3] Abhishek Raj, Veijaneng haokip, Subhadra Chandrawanshi, *Acacia nilotica*: a multipurpose tree and source of Indian gum Arabic, South Indian Journal of Biological Sciences 2015, 1 (2), 66-69.
- [4] Osman M. Abd El Nabi, Emil C. Reisinger, Franz F. Reinthaler, Franz Still, Ute Eibel, and Guenter J. Krejs, Antimicrobial activity of *Acacia nilotica* (L.) Willd. ex Del. var. *nilotica* (Mimosaceae), Journal of Ethnopharmacology, 1992, 37, 77-79.
- [5] R. K. Verma, taxonomical study of *Acacia nilotica* (linn) wild (a dye yielding plant) in Churu district, World Journal of Pharmaceutical Research, 2017, 6 (10), 1347-1354.
- [6] Kaushal K. Review of Pharmacological Activities of *Acacia nilotica* (Linn) willd W. S. R to Osteoporosis. *J Adv Res Ayur Yoga Unani Sidd Homeo*, 2017, 4 (1&2), 3-7.
- [7] Gilani AH, Shaheen F, Zaman M, Janbaz KH, Shah BH, Akhtar MS. Studies on antihypertensive and antispasmodic activities of methanol extract of *Acacia nilotica* pods. *Phytotherapy Research*, 1999, 13, 665-669.
- [8] Alli L. A., Adesokan A. A., Salawu O. A., Akanji M. A. and Tijani A. Y., Anti-plasmodial activity of aqueous root extract of *Acacia nilotica*, African Journal of Biochemistry Research, 2011, 5 (7), 214-219.
- [9] Lukman A. Ali, Mikhail O. Nafiu, Abdulfatai A. Adesokan, Musbau A. Akanji, Adeniyi Y. Tijani and Oluwakanyinsola A. Salawu, Antipyretic and analgesics activities of aqueous extract of *Acacia nilotica* root, *Biokemistri*, 2014, 26 (2), 55-62.
- [10] Kalaivani T, Mathew L., Free radical scavenging activity from leaves of *Acacia nilotica* (L.) Wil. Ex Delile, an Indian medicinal tree, *Food and Chemical Toxicology*, 2010, 48, 298-305.
- [11] Singh R. and Singh R.: Screening of some plant extract for antiviral properties, *Technology (Sindri)* 1972, 9 (4), 415-416.
- [12] Meena PD, Kaushik P, Shukla S, Soni AK, Kumar M, Kumar A., anticancer and antimutagenic properties of *Acacia nilotica* (Linn.) on 7,12-dimethylbenz (a) anthracene-induced skin papillomagenesis in Swiss albino mice, *Asian Pacific Journal of Cancer Prevention* 2006, 7 (4), 627-632.
- [13] Mrityunjoy Das, Md. Sohanur Rahman, Md. Maniruzzaman and Md. Belal Uddin, evaluation of phytochemical, in vitro antibacterial and cytotoxic properties of ethanol extract of *Acacia nilotica* (L) leaves *Indo American Journal of Pharmaceutical Sciences*, 2016, 3 (12), 1492-1497.
- [14] Chandra Shekar, Ramesh Nagarajappa, Rupal Singh, and Rupesh Thakur, Antimicrobial efficacy of *Acacia nilotica*, *Murraya koenigii* L. Sprengel, *Eucalyptus hybrid*, and *Psidium guajava* on primary plaque colonizers: An *in vitro* comparison between hot and cold extraction process, *J Indian Society Periodontology*, 2015, 19 (2), 174-179.
- [15] Muhammad Bilal Sadiq Warunee Hanpithakpong Joel Tarning Anil KumarAnal, Screening of phytochemicals and in vitro evaluation of antibacterial and antioxidant activities of leaves, pods and bark extracts of *Acacia nilotica* (L.) Del., *Industrial Crops and Products*, 2015, 77, 873-882.
- [16] Ghazi Hussein, Hirotsugu Miyashiro, Norio Nakamura, Masao Hattori, Takuya Kawahata, Toru Otake, Nobuko Kakiuchi and Kunitada Shimotohno, Inhibitory effects of Sudanese plant extracts on HCV-1 replication and HCV-1 protease. *Phytotherapy resrech*, 1999, 13 (1), 31-36.
- [17] Hussein G, Miyashiro H, Nakamura N, Hattori M, Kakiuchi N., Inhibitory effects of Sudanese medicinal plant extracts on hepatitis C virus (HCV) protease. *Phytotherapy resrech*, 2000, 14 (7), 510-516.
- [18] Kritikar KR, Basu BD. *Indian Medicinal plants with the illustrations* (2nd Ed.), Uttaranchal Oriental Press, 2003, 4, 1289-92.
- [19] Deshpande SN., Preliminary Phytochemical Analysis and in vitro investigation of antibacterial activity of *Acacia nilotica* against clinical isolates, *Journal of Pharmacognosy and Phytochemistry* 2013, 1 (5), 23-27.
- [20] Banso A. Phytochemical and antibacterial investigation of bark extracts of *Acacia nilotica*. *Journal of Medicinal Plants Research* 2009, 3 (2), 082-085.
- [21] I. M. S. Eldeen, F. R. Van Heerden, J. Van Staden, In vitro biological activities of niloticane, a new bioactive cassane diterpene from the bark of *Acacia nilotica* subsp. *Kraussiana*, *Journal of Ethnopharmacology*, 2010, 128 (3), 555-560.
- [22] El-Tahir A, Satti GM, Khalid SA., Antiplasmodial activity of selected Sudanese medicinal plants with emphasis on *Acacia nilotica*. *Phytotherapy Research*, 1999, 13, 474-478.
- [23] Akintunde, T. A., Babayi, H. M., Alfa, S., Effect of Aqueous Extract of *Acacia nilotica* on Microbial and Castor Oil Induced Diarrhoea, *Nigerian Journal of Biotechnology*, 2015, 29, 34 - 37.
- [24] Brahma N., Singh, B. R. Singh, R. L. Singh, D. Prakash, B. K. Sarma H. B. Singh, Antioxidant and anti-quorum sensing activities of the green pod of *Acacia nilotica* L., *Food and Chemical Toxicology*, 2009, 47 (4), 778-786.
- [25] Oladosu P, Samuel BB, Okhale SE, Ibrahim K, Okogun JI., Antitubercular activity of the dried fruits of *Acacia nilotica*. *Journal of Phytomedicine and Therapeutics*, 2007, 12, 76-79.
- [26] Sunita Verma, A review on ethnomedicinal plant *Acacia nilotica* (Linn.) wild, *Journal of Pharmacognosy and Photochemistry*, 2016, 5 (2), 241-242.

- [27] Khan R. Antimicrobial Activity of Five Herbal Extracts Against Multi Drug Resistant (MDR) Strains of Bacteria and Fungus of Clinical Origin. *Molecules*, 2009, 14 (2), 586-597.
- [28] Kalaivani T, Rajasekaran C, Suthindhiran K, Mathew L. Free Radical Scavenging, Cytotoxic and Hemolytic Activities from Leaves of *Acacia nilotica* (L.) Willd. Ex. Delile subsp. *indica* (Benth.) Brenan. *Evidence-based Complementary and Alternative Medicine*, 2011, 2011:274741. doi:10.1093/ecam/neq060.
- [29] Mariateresa Maldini, Paola Montoro, Arafa I. Hamed, Usama A. Mahalel, Wieslaw Oleszek, Anna Stochmal, Sonia Piacente, Strong antioxidant phenolics from *Acacia nilotica*: Profiling by ESI-MS and qualitative–quantitative determination by LC–ESI-MS, *Journal of Pharmaceutical and Biomedical Analysis*, 2011, 56 (2), 228-239.
- [30] Rajbir Singh, Bikram Singh, Sukhpreet Singh, Neeraj Kumar, Subodh Kumar, Saroj Arora, Anti-free radical activities of kaempferol isolated from *Acacia nilotica* (L.) Willd. Ex. Del., *Toxicology in Vitro*, 2008, 22 (8), 1965-1970.
- [31] Rajbir Singh, Bikram Singh, Sukhpreet Singh, Neeraj Kumar, Subodh Kumar, Saroj Arora, Umbelliferone – An antioxidant isolated from *Acacia nilotica* (L.) Willd. Ex. Del *Food Chemistry*, 2010, 120 (3), 825-830.
- [32] Z. Osman, Eltayeb F., M Albadawi and Asaad Khalied M., Evaluation of the Antioxidant Activities of Water Extracted Polyphenolics Contents of some Acacias Species, *Journal of forest products & industries*, 2014, 3 (2), 89-92.
- [33] Asad M, Aslam M, Munir TA, Nadeem A., Effect of *Acacia nilotica* leaves extract on hyperglycaemia, lipid profile and platelet aggregation in streptozotocin induced diabetic rats, *J Ayub Med Coll Abbottabad*, 2011, 23 (2), 3-7.
- [34] Zourata L -Ouedraogo, Daan van der Heide, Eline M van der Beek, Hans J M Swarts, John A M Mattheij and Laya Sawadogo. Effect of aqueous extract, of *Acacia nilotica* ssp *adansonii* on milk production and prolactin release in the rat. *J Endocrin* 2004, 182, 257–266.
- [35] Arora S, Kaur K, Kaur S. Indian medicinal plants as a reservoir of Protective phytochemicals. *Teratogenesis, Carcinogenesis, and Mutagenesis*, 2003, 1, 295–300.
- [36] Nath D, Sethi N, Singh RK, Jain AK., Commonly used Indian abortifacient plants with special reference to their teratologic effects in rats, *J Ethnopharmacol*, 1992, 36 (2), 147-154.
- [37] Wadood A, Wadood N, Shah SA. Effects of *Acacia Arabica* and arallum edulis on blood glucose levels of normal and Alloxan diabetic rabbits. *J Pak Med Assoc* 1989; 39, (1), 33-38.
- [38] Majumdar R, Bag BG, Maity N. *Acacia nilotica* (Babool) leaf extract mediated size-controlled rapid synthesis of gold nanoparticles and study of its catalytic activity. *International Nano Letters*, 2013, 3, 53, <http://www.inl-journal.com/content/3/1/53>.
- [39] K. Sahira Banu and Dr. L. Cathrine, General Techniques Involved in Phytochemical Analysis, *International Journal of Advanced Research in Chemical Science*, 2015, 2 (4), 25-32.
- [40] Okoro, S. O., Kawo, A. H. and Arzai, A. H., Phytochemical Screening, Antibacterial and Toxicological Activities of *Acacia Nilotica* Extracts, *Bayero Journal of Pure and Applied Sciences*, 2014, 7 (1), 105-115.
- [41] Sabah E. Elteгани, Mustafa Babikir, Dr. M. Jalal Elmansour, Dr. Mekaïel A. Ishak, Phytochemical screening and antibacterial activity of *Acacia nilotica*, *European Journal of Biomedical And Pharmaceutical Sciences*, 2017, 4 (8), 906-912.
- [42] Raju Ilavarasan, Leela Vadivelu, Phytochemical and Quality Assessment of *Acacia nilotica* Linn and *Acacia leucophloea* wild Flowers, *Pharmacognosy Journal*, 2017, 9 (6), 721-724.
- [43] Wu-Yang Huang, Yi-Zhong Cai & Yanbo Zhang Natural Phenolic Compounds From Medicinal Herbs and Dietary Plants: Potential Use for Cancer Prevention, *Nutrition and Cancer*, 2009 62 (1), 1-20.