



Assessment of Status of Improved Beekeeping Technology and Use Practices in Selected Districts of East Shewa and West Arsi Zones of Oromia, Ethiopia

Desta Abi Gemedi^{*}, Mekonnen Wolditsadik Beyi, Taye Beyene Lemma

Oromia Agricultural Research Institute (IQOO), Adami Tulu Agricultural Research Center, Adami Tulu (ATARC), Ethiopia

Email address:

Gurree2007@yahoo.com (Desta Abi Gemedi), mokewolde2020@gmail.com (Mekonnen Wolditsadik Beyi),

tayebebe@yahoo.co.uk (Taye Beyene Lema)

^{*}Corresponding author

To cite this article:

Desta Abi Gemedi, Mekonnen Wolditsadik Beyi, Taye Beyene Lemma. Assessment of Status of Improved Beekeeping Technology and Use Practices in Selected Districts of East Shewa and West Arsi Zones of Oromia, Ethiopia. *American Journal of Biological and Environmental Statistics*. Vol. 9, No. 2, 2023, pp. 14-18. doi: 10.11648/j.ajbes.20230902.11

Received: July 28, 2023; **Accepted:** August 21, 2023; **Published:** August 31, 2023

Abstract: Survey was conducted to assess level of ownership and use of honeybee queen excluder in three districts viz. Kofale and Wondo from West Arsi zone; and Adami Tulu from East Shewa zone of Oromia Ethiopia. A total of Ninety beekeepers were purposively selected for interview. Data like ownership of modern hive and its accessories, improved skills to run beekeeping, practice on use of queen excluder and production of honey were collected. It was found that the beekeepers know how on use of queen excluder was found to be 66.67% at Wondo and at 75% Kofale and 66.6% at Adami Tulu. From this it can be concluded that generally in current study beekeepers were found to be better accustomed with use of Queen Excluder. However, the adoption of these device seems still in its infant stage and needs further promotion to make beekeepers in these areas aware of its benefits. And also the efficiency of the queen excluder was poorly or not determined so far and therefore, needs further investigation following different honey flow periods in the study areas and beyond.

Keywords: Beekeeping, Queen-Excluder, Pollen, Brood, Bee Colony

1. Introduction

Beekeeping is the art of managing honeybees sustainably for the purpose of tapping into the resource benefits. It is more than collecting and retaining bees in a hive and apiary, or putting a hive in an apiary and waiting to benefit from the bee colony. Beekeeping involves effectively and sustainably managing the bee colony [1]. It was reported that honey production is a complex characteristics of several factors and requires modern types of equipment and tools, applying appropriate beekeeping knowledge and skills, and accessing potential and profitable markets [2, 12, 13].

Among several things, beekeeping without understanding of local situation is nothing but wastage of time and other essential resources and will trivially contribute to economic and environmental sustainability [3]. Therefore, utilization of improved beekeeping technologies has to be made sure under real circumstances of a given beekeeping region for

successful and maximized profitability [4, 14, 15].

Ethiopia, in East Africa, with more than 10 million honeybee colonies and nearly 1 million beekeepers, has long made a beekeeping part and parcel of rural livelihood making and income generation activities. However, the way of keeping bees has been of a little value and is very traditional. This way of beekeeping was deemed 'not fit' by the government to meet current demands for honey in terms of quality and quantity [5, 6]. Hence, improved hives of different sorts have been introduced into the country. However, there are limited studies on the distribution and status of the improved hives and associated technologies on livelihoods and production [8, 11].

Therefore, this situation does justify that any honeybee management activities must be geared towards the nature of particular honeybee race, the climate, the season, the vegetation and geography. Management skill that can be practically applied under local condition plays a key role in

enabling beekeeping sector gainful [7].

Practice of beekeeping is not only depending on better strain of honeybees but also on abundance and occurrence of pollen and nectar sources within surrounding areas of an apiary [9, 10].

In Ethiopia, improved honeybee rearing technology has been in use for decades but with minimum impact on honey production [16]. Therefore, this study is designed to assess current status of improved beekeeping technologies under beekeepers condition with special focus on use practice of honeybee queen excluder in selected districts of East Shewa and West Arsi zones of Oromia, Ethiopia.

1.1. General Objective

The overall objective this study was assess current status of improved beekeeping technologies under beekeepers condition with special focus on use practice of honeybee queen excluder in selected districts of East Shewa and West Arsi zones of Oromia, Ethiopia.

1.2. Specific Objectives

The specific objectives of the research were:

1. To assess ownership and use practice of improved beekeeping technologies in selected beekeeping districts in West Arsi and East Shewa zones of Oromia
2. To determine extent of use of improved beekeeping technologies with special focus on use of honeybee queen excluder in selected districts of West Arsi and East Shewa Zones of Oromia

2. Materials and Methods

2.1. The Locations

This study was conducted in East Shewa and West Arsi zones of Oromia, Ethiopia. Three beekeeping districts, each one from different type of agro ecologies viz. Lowland

(Adami Tulu JidoKombolcha), midland (Wondo) and highland (Kofale) were purposively selected based on beekeeping potential and, accessibility.

2.2. Research Design and Methods

In December, 2021 an assessment was done in Adami Tulu Jido Kombolcha, Wondo and Kofale districts to know the extent of use of modern hive before the actual experiment setting up. From available beekeepers list in the districts, a total of thirty beekeepers per district was purposively interviewed.

Data on ownership and status of improved beekeeping technologies and their use practice was collected through questionnaire and checklists.

2.3. Method of Data Analysis

Data coding and entry was done in excel Microsoft office word and imported to Statistical package for social sciences (SPSS version 24). Frequency percentage was considered for analysis of nominal data.

3. Result and Discussion

3.1. Beekeepers Know How on Honeybee Queen-Excluder

Out of the total respondents asked the question 'do you know honeybee queen excluder and what it uses for? ', 33.3 % and 66.7 % of the respondents responded ' yes' and 'no' respectively at Adami Tulu Jido kombolcha; 75% and 25% responded ' yes' and 'no' respectively at Kofale; and 66.67% and 33.33% responded ' yes' and 'no' respectively at Wondo (Figure 1). Generally, the beekeepers know how was found to be better at the Midland agroecology (Wondo) with 66.67% response of 'yes' and at the highland agroecology (Kofale) with 75% response of 'yes' indicating that they are well accustomed with the use of Queen Excluder.




Figure 1. Responses of respondents on knowhow and uses of queen excluders.

3.2. Use and Ownership of Modern Hive

25% and 75% of the respondents own and do not own

honeybee queen excluder by responding 'yes' and 'no' respectively at Adami Tulu Jido kombolcha; 75% and 25% of the respondents own and do not own honeybee queen

excluder by responding 'yes' and 'no' respectively at Kofale; and 58.33% and 41.67% of the respondents own and do not own by responding 'yes' and 'no' respectively at Wondo. From this fact it can be deduced that beekeepers in midland

and highland agroecologies are more involved in modern hive beekeeping as compared to those of the lowland agroecology.




Figure 2. Modern hive ownership of respondents in the study areas.

3.3. Source of Improved Hive

According to this study, the respondent beekeepers' sources of honeybee colonies are as follows: 16.67%, 25%, and 58.33% from government, non-government, and private sources at Adami Tulu Jido Kombolch; 25%, 33.33%, and

41.67% from government, non-government, and private sources at Kofale; and 41.67%, 8.33%, and 50% from government, non-government, and private sources at Wondo. It can be inferred from this data that the responding beekeepers' modern hives' sources are almost entirely private.




Figure 3. Respondent's source of modern hive.




Figure 4. Queen excluder owned by respondents.

Queen excluder ownership of the beekeepers

In the current study, it was found that only 8.33% and 25%, respectively, of the respondents owned their own honeybee queen excluder at Adami Tulu Jido Kombloch and Kofale, while 83.33% of the respondents owned at Wondo. This shows that the majority of beekeepers in Wondo employ queen excluders, but adoption of these devices in Adami Tulu Jido Kombloch and the Kofale district is still in its infancy and needs further promotion to make beekeepers in these areas aware of its benefits.

3.4. Ownership of the Honeybee Colony

The average presence and absence of honeybee colonies in the modern hives kept by beekeepers in the study area were

discovered to be different (Figure 5). Average modern hives owned by beekeepers with and without honeybee colonies were observed to be 3.8 and 2.9 respectively in Wondo, 5.4 and 3.7 respectively in Kofale, and 4.6 and 3.1 respectively in Adami Tulu Jido Kombolcha. Kofale had the most average modern hives with honeybee colonies owned by beekeepers (5.4), while Wondo had the fewest (3.8). At Kofale, the average number of modern hives without honeybee colonies was reported to be the highest (3.7), while at Wondo, the average number was the lowest (2.9). This variation might happen in number of modern hives without honeybees among these districts because of several factors among which the beekeeping knowledge and skill can be one.




Figure 5. A beekeeper's average number of modern hives, both with and without honeybee colonies.

4. Conclusion and Recommendation

From this it can be concluded that generally in the current study beekeepers were found to be better accustomed with use of Queen Excluder. However, the adoption of these device seems still in its infant stage and needs further promotion to make beekeepers in these areas aware of its benefits. And also the efficiency of the queen excluder was poorly or not determined so far and therefore, needs further investigation following different honey flow periods in the study areas and beyond.

References

- [1] Eforuoku, F and Thomas, K. A. 2015. Effect of Training on the Use of Modern Beekeeping Technologies in Oyo State, Nigeria. Nigerian Journal of Rural Sociology. Vol. 15, No. 2, March 2015.
- [2] Addisu Bihonegn and Desalegn Begna. 2021. Beekeeping Production System, Challenges, and Opportunities in Selected Districts of South Wollo Zone, Amhara, Ethiopia. Advances in Agriculture. Volume 2021, Article ID 2278396, 10 pages.
- [3] Dinku Negash and Bereket Mengeste. 2019. Assessment of Honey Production System, Constraints and Opportunities in Selected Kebeles of Hawassa City Administration, Ethiopia. International Journal of Research GRANTHAALAYAH/A Knowledge Repository. Vol. 7. [(Iss. 8): August 2019].
- [4] Rodinov VV, Shabanshov., 1986. The Fascinating world of bees. Mir Publishers, Moscow (Russia). Kumar R, Rajput GS, Mishra RC, Agrawal OP., 2013. A study on assessment of duration of dearth period for Honey bees in Haryana, India. Munis Entomology & Zoology, 8 (1): 434-437.
- [5] Tsegay, W. K. (2017). Honey-bee production practices and hive technology. Acta Universitatis Sapientiae, 31-43.
- [6] Desalgne, P. (2012). Ethiopian Honey: Accessing International Markets with Inclusive Business and Sector Development. Hague, Netherlands: Seas of Change.
- [7] Mendizabal, F. (2005): Abejas, Buenos Aires, Republica de Argentina. 255 pp.
- [8] Gichora, M. 2003. Towards Realization of Kenya's full Beekeeping potential; a case study of Baringo District Ecology and development series No. 6, 2003, cuvillier verlag Golltingen, Germany pp/57. Free JB., 1970. Insect pollination of crops. Academic press, London, 544.

- [9] Kugonza, D. R. (2009). Effects of hive type and tree shade on colonization rate and pest prevalence of. Research Gate.
- [10] Akrahanakal P, 1987. Beekeeping in Asia. FAO, United Nations. Lefkovitch, T. I. (1988). Fourth Generation Of Closed Population Honeybee Breeding. *Apidologie*, 259-297.
- [11] Musolin, D. L., Saulich, A. K. (2012): Responses of insects to the current climate changes: from physiology and behavior to range shifts. - *Entomological Review* 92 (7): 715-740.
- [12] Gomez, A., R. (2003): La apicultura en la península de Yucatán. Actividad de subsistencia en un entorno globalizado. - *Revista Mexicana Del Caribe* 8 (16): 117-132.
- [13] Hegland, S. J., Nielsen, A., Lázaro, A., Bjerknes, A.-L., Totland, (2009): How does climate warming affect plant-pollinator interactions? - *Ecology Letters* 12 (2): 184-195.
- [14] Hildrew, A. G., Durance, I., Statzner, B. (2017): Persistence in the longitudinal distribution of lotic insects in a changing climate: a tale of two rivers. - *Science of The Total Environment* 1 (574): 1294-1304.
- [15] Yirdaw, E. 2002. Restoration of the native wood species diversity, using plantation species as faster trees, in the degraded highlands of Ethiopia. University of Helsinki (Ph. D. thesis), Helsinki, Finland.
- [16] Nuru Adgaba, Awraris Getachew Shenkute, Ahmad Al-Ghamdi, Mohammad Javed Ansari (2013). Queen excluders enhance honey production in African honey bees, *Apis mellifera*, by limiting brood rearing during peak nectar flow. *Journal of Apicultural Research*.